



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

CUSTOMER Kratom Spot

Email: info@kratomspot.com;

SAMPLE DESCRIPTION Kratom Leaf Powder Lot 210

SAMPLE DATE

DATE RECEIVED 4/10/2026

REFERENCE NUMBER 202969944: 2620812 **Customer PO**

TEMPERATURE AT RECEIVING



Test Requested	Test Method	Results	Ref Number	Start Date
7-OH PPM on Dry Weight Basis		< 106 ppm		
Moisture		5.60	20175:106	4/13 3:00 PM
	Analyst: 59			
Kratom P3				
	Analyst: 45			
7 Hydroxymitragynine		< 0.01 %	20172:95	4/13 12:00 PM
	Analyst: 64			
Mitragynine		1.14 %	20172:95	4/13 12:00 PM
	Analyst: 64			
Aerobic Plate Count	^Bam Ch 3	Log: <2.0		4/10 4:51 PM
	Analyst: 40			
Coliform	^AOAC 991.14	Log: <2.0		4/10 4:51 PM
	Analyst: 40			
Mold	^Bam Ch18	Log: 2.0		4/10 4:51 PM
	Analyst: 40			
Staphylococcus aureus	CMMEF 39.52	<3 mpn/g		4/10 4:51 PM
	Analyst: 40			
Yeast	^Bam Ch18	Log: <2.0		4/10 4:51 PM
	Analyst: 40			
E.coli Generic	^AOAC 991.14	Log: <2.0		4/10 4:51 PM
	Analyst: 40			

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement. Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 4/20/2026

Date: 4/20/2026



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

SAMPLE DESCRIPTION Kratom Leaf Powder Lot 210

SAMPLE DATE

DATE RECEIVED 4/10/2026

REFERENCE NUMBER 202969944: 2620812 **Customer PO**

TEMPERATURE AT RECEIVING



Test Requested	Test Method	Results	Ref Number	Start Date
Salmonella	^AOAC 2009.03 Analyst: 40	Negative/10g		4/10 3:22 PM Kit Lot Number: GDSSL09052514E
Arsenic	Analyst: 45	<0.5 mg/kg	20179:32	4/13 7:08 AM
Cadmium	Analyst: 45	<0.5 mg/kg	20179:32	4/13 7:08 AM
Lead	Analyst: 45	<0.5 mg/kg	20179:32	4/13 7:09 AM
Mercury	Analyst: *212 ID#8001	<0.20 mg/kg	26D0628-02	4/14 12:00 PM *subcontracted EPA 7471B

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 4/20/2026

Date: 4/20/2026