

**Alliance Analytical Laboratories, Inc.**

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT**CUSTOMER** Kratom Spot

Email: info@kratomspot.com;

SAMPLE DESCRIPTION Kratom Leaf Powder 246**SAMPLE DATE****DATE RECEIVED** 8/29/2026**REFERENCE NUMBER** 202969945: 2650263 **Customer PO****TEMPERATURE AT RECEIVING** 70 °F


Test Requested	Test Method	Results	Ref Number	Start Date
7-OH PPM on Dry Weight Basis		<104 ppm	20186:65	8/31 2:30 PM
	Analyst: 64			
Moisture		3.43 %	20184:82	9/2 2:30 PM
	Analyst: 59			
Kratom P3				
7 Hydroxymitragynine		<0.01 %	20186:65	8/31 2:30 PM
	Analyst: 64			
Mitragynine		2.78 %	20186:65	8/31 2:30 PM
	Analyst: 64			
Aerobic Plate Count	^Bam Ch 3	Log: 2.4		8/31 12:21 PM
	Analyst: 40			
Coliform	^AOAC 991.14	Log: <2.0		8/31 12:21 PM
	Analyst: 40			
Mold	^Bam Ch18	Log: <2.0		8/31 12:21 PM
	Analyst: 40			
Staphylococcus aureus	CMMEF 39.52	<3 mpn/g		8/31 11:05 AM
	Analyst: 40			
Yeast	^Bam Ch18	Log: <2.0		8/31 12:21 PM
	Analyst: 40			
E.coli Generic	^AOAC 991.14	Log: <2.0		8/31 12:21 PM
	Analyst: 40			

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:


Audrey Monroe - Laboratory Director

Date: 9/14/2026

Date: 9/14/2026

Page 1 of 2

**Alliance Analytical Laboratories, Inc.**

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT**SAMPLE DESCRIPTION** Kratom Leaf Powder 246**SAMPLE DATE****DATE RECEIVED** 8/29/2026**REFERENCE NUMBER** 202969945: 2650263 **Customer PO****TEMPERATURE AT RECEIVING** 70 °F

Test Requested	Test Method	Results	Ref Number	Start Date
Salmonella	^AOAC 2009.03 Analyst: 40	Negative/25g		8/31 10:36 AM Kit Lot Number: SL12042508A
Arsenic	Analyst: 45	0.670 mg/kg	20189:33	8/31 11:12 AM
Cadmium	Analyst: 45	<0.5 mg/kg	20189:33	8/31 11:12 AM
Lead	Analyst: 45	0.673 mg/kg	20189:33	8/31 11:12 AM
Mercury	Analyst: *212 ID#8001	<0.14 mg/kg	26I0018	9/10 12:00 PM EPA 7471B *subcontracted

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 9/14/2026

Date: 9/14/2026

Page 2 of 2