



**Alliance Analytical Laboratories, Inc.**

179 West Randall Street  
Coopersville, MI 49404  
Phone: (616) 837-7670  
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

**TEST RESULTS REPORT**

**CUSTOMER** Kratom Spot

Email: info@kratomspot.com;

**SAMPLE DESCRIPTION** Kratom Leaf Powder W/Extract Lot 198

**SAMPLE DATE**

**DATE RECEIVED** 4/24/2026

**REFERENCE NUMBER** 202969944: 2623535 **Customer PO**

**TEMPERATURE AT RECEIVING**



Test Requested	Test Method	Results	Ref Number	Start Date
7-OH PPM on Dry Weight Basis		<105 ppm		4/28 8:10 AM
	Analyst: 64			
Moisture		4.19 %	20175:124	4/28 3:00 PM
	Analyst: 59			
Kratom P3				
7 Hydroxymitragynine		<0.01 %	20172:107	4/28 8:10 AM
	Analyst: 64			
Mitragynine		2.61 %	20172:107	4/28 8:10 AM
	Analyst: 64			
Aerobic Plate Count	^Bam Ch 3	Log: 4.4		4/24 2:54 PM
	Analyst: 65			
Coliform	^AOAC 991.14	Log: 3.1		4/24 12:08 PM
	Analyst: 65			
Mold	^Bam Ch18	Log: 4.3		4/24 2:54 PM
	Analyst: 65			
Staphylococcus aureus	CMMEF 39.52	<3 mpn/g		4/24 12:08 PM
	Analyst: 65			
Yeast	^Bam Ch18	Log: <2.0		4/24 2:54 PM
	Analyst: 65			
E.coli Generic	^AOAC 991.14	Log: <2.0		4/24 12:08 PM
	Analyst: 65			

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement. Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION  
PURSUANT TO 5 U.S.C.(b)(4)**

**This report must not be reproduced, except in full, without written approval of the laboratory.**

Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 5/4/2026

Date: 5/4/2026



**Alliance Analytical Laboratories, Inc.**

179 West Randall Street  
Coopersville, MI 49404  
Phone: (616) 837-7670  
Fax: (616) 837-7701



**TEST RESULTS REPORT**

Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

**SAMPLE DESCRIPTION** Kratom Leaf Powder W/Extract Lot 198  
**SAMPLE DATE**  
**DATE RECEIVED** 4/24/2026  
**REFERENCE NUMBER** 202969944: 2623535 **Customer PO**  
**TEMPERATURE AT RECEIVING**



Test Requested	Test Method	Results	Ref Number	Start Date
Salmonella	^AOAC 2009.03 Analyst: 40	Negative/25g		4/24 11:58 AM Kit Lot Number: GDSSL09052514E
Arsenic	Analyst: 45	0.556 mg/kg	20179:53	4/27 7:32 AM
Cadmium	Analyst: 45	<0.5 mg/kg	20179:53	4/27 7:32 AM
Lead	Analyst: 45	0.920 mg/kg	20179:56	4/29 7:53 AM
Mercury	Analyst: *212 ID#8001	<0.20 mg/kg	26D1381-02	4/29 12:00 PM *Subcontracted EPA 7471B

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.  
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION  
PURSUANT TO 5 U.S.C.(b)(4)**

**This report must not be reproduced, except in full, without written approval of the laboratory.**

Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 5/4/2026

Date: 5/4/2026