



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



ANAB
ANSI National Accreditation Board
ACCREDITED
ISO/IEC 17025
TESTING LABORATORY

TEST RESULTS REPORT

Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

CUSTOMER

Kratom Spot

SAMPLE DESCRIPTION Kratom Leaf Powder Lot 4007

SAMPLE DATE

DATE RECEIVED 11/10/2025

REFERENCE NUMBER 202969942: 2564019 **Customer PO**

TEMPERATURE AT RECEIVING



Test Requested	Test Method	Results	Ref Number	Start Date
7-OH PPM on Dry Weight Basis		<105 ppm	20163:134-135	11/10 12:50 PM
Moisture	Analyst: 45	4.18 %	20163:134-135	11/10 12:50 PM
Kratom P3				
7 Hydroxymitragynine	Analyst: 64	<0.01 %	20108:138	11/10 2:45 PM
Mitragynine	Analyst: 64	1.43 %	20108:138	11/10 2:45 PM
Aerobic Plate Count	^Bam Ch 3	Log: 2.0	100 cfu/g	11/10 3:29 PM
	Analyst: 68			
Coliform	^AOAC 991.14	Log: <2.0	<100 cfu/g	11/10 3:29 PM
	Analyst: 68			
Mold	^Bam Ch18	Log: <2.0	<100 cfu/g	11/10 3:29 PM
	Analyst: 68			
Staphylococcus aureus	CMMEF 39.52		<3 mpn/g	11/11 11:34 AM
	Analyst: 68			
Yeast	^Bam Ch18	Log: <2.0	<100 cfu/g	11/10 3:29 PM
	Analyst: 68			
E.coli Generic	^AOAC 991.14	Log: <2.0	<100 cfu/g	11/10 3:29 PM
	Analyst: 68			

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Andrea Balduck - Laboratory Manager

Date: 11/19/2025

Date: 11/19/2025

Page 1 of 2



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



TEST RESULTS REPORT

Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

SAMPLE DESCRIPTION Kratom Leaf Powder Lot 4007

SAMPLE DATE

DATE RECEIVED 11/10/2025

REFERENCE NUMBER 202969942: 2564019 **Customer PO**

TEMPERATURE AT RECEIVING



Test Requested	Test Method	Results	Ref Number	Start Date
Arsenic		<0.5 mg/kg	20163:136	11/11 7:50 AM
	Analyst: 45			
Cadmium		<0.5 mg/kg	20163:136	11/11 7:50 AM
	Analyst: 45			
Lead		<0.5 mg/kg	20163:136	11/11 7:51 AM
	Analyst: 45			
Mercury		<0.20 mg/kg	25K0506-07	11/14 12:00 PM
	Analyst: *212 ID#8001			*Subcontracted EPA 7471B
Salmonella:BAM	FDA,BAM Ch 5 Analyst: 65	Negative/25g		11/11 1:51 PM

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Andrea Balduck - Laboratory Manager

Date: 11/19/2025

Date: 11/19/2025

Page 2 of 2