



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

CUSTOMER Kratom Spot

Email: info@kratomspot.com;

SAMPLE DESCRIPTION Kratom Leaf Powder Lot 207

SAMPLE DATE

DATE RECEIVED 4/27/2026

REFERENCE NUMBER 202969944: 2623964 **Customer PO**

TEMPERATURE AT RECEIVING



Test Requested	Test Method	Results	Ref Number	Start Date
7-OH PPM on Dry Weight Basis	Analyst: 64	<106 ppm		4/28 3:11 PM
Moisture	Analyst: 59	5.54 %	20175:124	4/28 3:00 PM
Kratom P3				
7 Hydroxymitragynine	Analyst: 64	<0.01 %	20172:107	4/28 3:11 PM
Mitragynine	Analyst: 64	1.57 %	20172:107	4/28 3:11 PM
Aerobic Plate Count	^Bam Ch 3 Analyst: 40	Log: 2.3 200 cfu/g		4/28 4:51 PM
Coliform	^AOAC 991.14 Analyst: 40	Log: <2.0 <100 cfu/g		4/28 11:07 AM
Mold	^Bam Ch18 Analyst: 40	Log: <2.0 <100 cfu/g		4/28 4:51 PM
Staphylococcus aureus	CMMEF 39.52 Analyst: 40	<3 mpn/g		4/28 11:07 AM
Yeast	^Bam Ch18 Analyst: 40	Log: <2.0 <100 cfu/g		4/28 4:51 PM
E.coli Generic	^AOAC 991.14 Analyst: 40	Log: <2.0 <100 cfu/g		4/28 11:07 AM

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement. Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.


Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 5/4/2026

Date: 5/4/2026

Page 1 of 2



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



TEST RESULTS REPORT

Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

SAMPLE DESCRIPTION Kratom Leaf Powder Lot 207

SAMPLE DATE

DATE RECEIVED 4/27/2026

REFERENCE NUMBER 202969944: 2623964 **Customer PO**

TEMPERATURE AT RECEIVING



Test Requested	Test Method	Results	Ref Number	Start Date
Salmonella	^AOAC 2009.03 Analyst: 40	Negative/5g		4/28 11:07 AM Kit Lot Number: SL12042504A
Arsenic	Analyst: 45	<0.5 mg/kg	20179:56	4/29 7:52 AM
Cadmium	Analyst: 45	<0.5 mg/kg	20179:56	4/29 7:52 AM
Lead	Analyst: 45	0.901 mg/kg	20179:56	4/29 7:53 AM
Mercury	Analyst: *212 ID#8001	<0.19 mg/kg	26D1463-05	4/29 12:00 PM *Subcontracted EPA 7471B

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 5/4/2026

Date: 5/4/2026

Page 2 of 2