



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

CUSTOMER Kratom Spot

Email: info@kratomspot.com;

SAMPLE DESCRIPTION Kratom Leaf Powder Lot 204

SAMPLE DATE

DATE RECEIVED 4/27/2026

REFERENCE NUMBER 202969944: 2623961 **Customer PO**

TEMPERATURE AT RECEIVING



Test Requested	Test Method	Results	Ref Number	Start Date
7-OH PPM on Dry Weight Basis		<106 ppm		4/28 3:11 PM
	Analyst: 64			
Moisture		5.20 %	20175:124	4/28 3:00 PM
	Analyst: 59			
Kratom P3				
7 Hydroxymitragynine		<0.01 %	20172:107	4/28 3:11 PM
	Analyst: 64			
Mitragynine		1.28 %	20172:107	4/28 3:11 PM
	Analyst: 64			
Aerobic Plate Count	^Bam Ch 3	Log: 2.8		4/28 4:51 PM
	Analyst: 40			
Coliform	^AOAC 991.14	Log: <2.0		4/28 11:07 AM
	Analyst: 40			
Mold	^Bam Ch18	Log: <2.0		4/28 4:51 PM
	Analyst: 40			
Staphylococcus aureus	CMMEF 39.52	<3 mpn/g		4/28 11:07 AM
	Analyst: 40			
Yeast	^Bam Ch18	Log: <2.0		4/28 4:51 PM
	Analyst: 40			
E.coli Generic	^AOAC 991.14	Log: <2.0		4/28 11:07 AM
	Analyst: 40			

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement. Test results apply to the sample as received.

THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION PURSUANT TO 5 U.S.C.(b)(4)

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 5/4/2026

Date: 5/4/2026

Page 1 of 2



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



TEST RESULTS REPORT

Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

SAMPLE DESCRIPTION Kratom Leaf Powder Lot 204

SAMPLE DATE

DATE RECEIVED 4/27/2026

REFERENCE NUMBER 202969944: 2623961 **Customer PO**

TEMPERATURE AT RECEIVING



Test Requested	Test Method	Results	Ref Number	Start Date
Salmonella	^AOAC 2009.03 Analyst: 40	Negative/5g		4/28 11:07 AM Kit Lot Number: SL12042504A
Arsenic	Analyst: 45	0.589 mg/kg	20179:56	4/29 7:52 AM
Cadmium	Analyst: 45	<0.5 mg/kg	20179:56	4/29 7:52 AM
Lead	Analyst: 45	0.829 mg/kg	20179:56	4/29 7:53 AM
Mercury	Analyst: *212 ID#8001	<0.20 mg/kg	26D1463-02	4/29 12:00 PM *Subcontracted EPA 7471B

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 5/4/2026

Date: 5/4/2026

Page 2 of 2